



# model 2000SMSN

## Surface Wall-Mount Bottle Filling Station

### FEATURES & BENEFITS

#### QUALITY CONTROL

The Haws bottle filling station is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

#### SERVICING & SECURITY

Durable ABS plastic front panel allows simple access to internal components. 30 second time-out prevents unwanted use. Hidden lock and hinges discourages vandals.

#### ADVANCED FILTRATION

2,500-gallon (9463 L) capacity, electronic lifecycle control filter cartridge will shut off water flow when capacity is reached to ensure fresh, filtered water with every activation. Filter replacement indicator light will flash yellow when filter life is at 10% and will flash red when replacement is necessary. Preparing to replace filter is important when the filter light flashes yellow.

#### DURABLE FINISH

#4 satin stainless steel back panel can be easily cleaned and maintained while also resisting corrosion.

#### SENSOR OPERATED

Electric sensor allows for touch-free hygienic operation, eliminating the need for manual activation.

### OPTIONS

- Surface-Mount Bottle Filler Drain Kit: Model 6470, optional drain assembly kit for 2000SMS surface mount bottle filling stations.
- Remote Drinking Fountain Water chiller: Model HCR8, 8 gph (30.3 L) remote water chiller provides instantaneous cooling to meet a continuous demand for chilled water.

For more information, visit [www.hawsc.com](http://www.hawsc.com) or call (888) 640-4297.



### SPECIFICATIONS

Model 2000SMSN Hydration By Haws™ water dispenser is a surface wall-mounted bottle or cup filling station constructed of durable ABS plastic and 16-gauge, Type 304 Stainless Steel with a satin finish. It features an electric sensor allowing for touch-free hygienic operation, a 30-second timeout preventing unwanted use, laminar flow to prevent splashing, and .5 gpm (1.3 L) flow rate for quick fill-up. 2,500-gallon (9464 L) carbon block filter reduces chlorine (taste and odor) and lead, and removes 99.99% of cysts. Hidden lock and hinges on the ABS plastic front panel allows access to internal components. The mounting consists of heavy gauge galvanized steel mounting bracket and hardware. 110 volt, 60Hz, and .1 amp draw when in use. A removable water catch basin is provided; this may be converted to a hard-plumbed drain with an optional retrofit kit. Model 2000SMSN has no logo for a clean, aesthetically pleasing look.

### APPLICATIONS

The surface wall-mount Hydration By Haws™ bottle filling station is perfect for mounting on block or solid walls which cannot be cut into and where a recessed mount station is not an option. The surface mount unit does not require a drain trap and has an integrated drain pan, allowing it to be mounted in any location where there is a reasonable access to a water line. Specifically, this unit is ideal for office buildings, airports, schools, manufacturing facilities and municipalities. Model 2000SMSN meets the Americans with Disabilities Act when mounted at the correct height, and cane bump bar is properly installed (see Operators Manual). Haws manufactures drinking fountains and electric water coolers to be lead-free by all known definitions including NSF/ANSI Standard 61, Section 9, NSF/ANSI Standards 42 & 53, NSF/ANSI 372, and CSA Standard B483.1. Product is compliant to California Health and Safety Code 116875 (AB 1953), California Proposition 65 and the Federal Safe Drinking Water Act. Model 2000SMS is certified to the standard for Water

